

SAFETY DATA SHEET

United States



DeSolite® DS-2015

Section 1. Identification

GHS product identifier : DeSolite® DS-2015
Other means of identification : Not available.
Product type : Liquid.
Material uses : UV-curable coatings, inks and matrix materials.
Supplier : DSM Desotech Inc.
1122 St Charles Street
Elgin IL 60120
Tel: +1 (847) 697-0400
e-mail address of person responsible for this SDS : DSMRESINS.SDS@dsm.com (Communication in English only please)
Emergency telephone number : DSM Desotech Inc.: +1 (847) 697-0401
(During normal business hours)
CHEMTREC (within the USA): (800) 424-9300 (24 hour)
CHEMTREC (International): +1 (703) 527-3887 [USA] (24 hour)

Section 2. Hazards identification

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture : SKIN CORROSION/IRRITATION - Category 2
SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A
SKIN SENSITIZATION - Category 1
TOXIC TO REPRODUCTION [Fertility] - Category 2

GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H319 - Causes serious eye irritation.
H315 - Causes skin irritation.
H317 - May cause an allergic skin reaction.
H361 - Suspected of damaging fertility.

Precautionary statements

Prevention : P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P281 - Use personal protective equipment as required.
P280 - Wear protective gloves. Wear eye or face protection.
P261 - Avoid breathing vapor.
P264 - Wash hands thoroughly after handling.
P272 - Contaminated work clothing should not be allowed out of the workplace.
Response : P308 + P313 - IF exposed or concerned: Get medical attention.
P302 + P352 + P362-2 + P363 - IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing. Wash contaminated clothing before reuse.
P333 + P313 - If skin irritation or rash occurs: Get medical attention.
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 - If eye irritation persists: Get medical attention.
Storage : P405 - Store locked up.
Disposal : P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
Hazards not otherwise classified : None known.

Section 2. Hazards identification

Hazardous Material
Information System (U.S.A.)

Health	*	2
Flammability		1
Physical hazards		1
PERSONAL PROTECTION	BG	

The PPE (Personal Protection Equipment) designation in the HMIS is provided for use by employees at supplier sites only. Other users of this product are encouraged to evaluate the hazards of the product and assign PPE that is applicable to their specific situations.

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

Section 3. Composition/information on ingredients

Substance/mixture : Mixture
Other means of identification : Not available.

CAS number : Not applicable.

Ingredient name	%	CAS number
Multifunctional Acrylate	25 - 50	-
Multifunctional Acrylate	25 - 50	-
Multifunctional Acrylate	5 - 10	-
Glycol ether acrylate	5 - 10	-
Monomer	5 - 10	-
Multifunctional Acrylate	5 - 10	-
Photo-initiators	<1	-

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

- Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Skin contact** : Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
- Ingestion** : Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Section 4. First aid measures

Most important symptoms/effects, acute and delayed

Potential acute health effects

- Eye contact** : Causes serious eye irritation.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : Causes skin irritation. May cause an allergic skin reaction.
- Ingestion** : Irritating to mouth, throat and stomach.

Over-exposure signs/symptoms

- Eye contact** : Adverse symptoms may include the following:
pain or irritation
watering
redness
- Inhalation** : Adverse symptoms may include the following:
reduced fetal weight
increase in fetal deaths
skeletal malformations
- Skin contact** : Adverse symptoms may include the following:
irritation
redness
reduced fetal weight
increase in fetal deaths
skeletal malformations
- Ingestion** : Adverse symptoms may include the following:
reduced fetal weight
increase in fetal deaths
skeletal malformations

Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific treatments** : No specific treatment.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

- Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.
- Unsuitable extinguishing media** : None known.

Specific hazards arising from the chemical : In a fire or if heated, a pressure increase will occur and the container may burst. This material is toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

- Hazardous thermal decomposition products** : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide
halogenated compounds
carbon dioxide
(dense) black smoke
aldehydes
organic acids
phosphorous oxides

Special protective actions for fire-fighters : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
- For emergency responders** : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

- Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

- Conditions for safe storage, including any incompatibilities** : Store between the following temperatures: 15 to 30°C (59 to 86°F). Store in accordance with local regulations. Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Store in original container, protected from direct sunlight.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Multifunctional Acrylate	AIHA WEEL (United States, 10/2011). Skin sensitizer. TWA: 1 mg/m ³ 8 hours.

Section 8. Exposure controls/personal protection

- Appropriate engineering controls** : If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Section 9. Physical and chemical properties

Appearance

- Physical state** : Liquid. [Clear to slightly hazy liquid.]
- Color** : Colorless.
- Odor** : Characteristic.
- Odor threshold** : Not available.
- pH** : Not available.
- Melting point** : Not available.
- Boiling point** : Not available.
- Flash point** : Closed cup: >199.4°F (>93°C) [Closed cup , ISO 1523]
- Burning time** : Not applicable.
- Burning rate** : Not applicable.
- Evaporation rate** : Not available.
- Flammability (solid, gas)** : Not available.
- Lower and upper explosive (flammable) limits** : Not available.
- Vapor pressure** : Not available.
- Vapor density** : Not available.
- Relative density** : 1.1 (Water = 1)
- Density (g/cm³)** : 1.1 g/cm³ (23°C)
- Bulk density** : Not available.

Section 9. Physical and chemical properties

Solubility	: Not available.
Solubility in water	: Not available.
Solubility at room temperature	: Not available.
Partition coefficient: n-octanol/water	: Not available.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
SADT	: Not available.
Viscosity	: Dynamic (room temperature): 5250 to 6750 mPa·s (5250 to 6750 cP)

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: No specific data.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Multifunctional Acrylate	LC50 Inhalation Dusts and mists	Rat	>4.9 mg/l	4 hours
	LD50 Dermal	Rabbit	>2000 mg/kg	-
	LD50 Dermal	Rat	>2000 mg/kg	-
Multifunctional Acrylate	LD50 Oral	Rat	>2000 mg/kg	-
	LC50 Inhalation Dusts and mists	Rat	>4.9 mg/l	4 hours
	LD50 Dermal	Rat	>2000 mg/kg	-
Multifunctional Acrylate	LD50 Oral	Rat	>2000 mg/kg	-
	LC0 Inhalation Dusts and mists	Rat - Male, Female	0.41 mg/l Air	7 hours
	LD50 Dermal	Rabbit	3650 mg/kg	-
Glycol ether acrylate	LD50 Oral	Rat - Male, Female	>5000 mg/kg	-
	LD50 Dermal	Rabbit	2540 mg/kg	-
	LD50 Oral	Rat	4660 mg/kg	-
Monomer	LD50 Dermal	Rabbit	>3000 mg/kg	-
	LD50 Oral	Rat	4350 mg/kg	-
Multifunctional Acrylate	LD50 Dermal	Rabbit	>2 g/kg	-
	LD50 Oral	Rat	6200 mg/kg	-
Photo-initiators	LD50 Dermal	Rat - Male, Female	>2000 mg/kg	-
	LD50 Oral	Rat - Male, Female	>5000 mg/kg	-
	LD50 Oral	Rat - Male, Female	>5000 mg/kg	-

Irritation/Corrosion

Section 11. Toxicological information

Product/ingredient name	Result	Species	Score	Exposure	Observation
Multifunctional Acrylate	Skin - Edema	Rabbit	0	-	-
	Skin - Erythema/Eschar	Rabbit	0	-	-
	Eyes - Cornea opacity	Rabbit	0	-	-
	Eyes - Iris lesion	Rabbit	0	-	-
	Eyes - Edema of the conjunctivae	Rabbit	0.3	-	-
	Eyes - Redness of the conjunctivae	Rabbit	1	-	-
Multifunctional Acrylate	Skin - Erythema/Eschar	Rabbit	2	4 hours 0.5 ml	14 days
Glycol ether acrylate	Skin - Edema	Rabbit	2.67	4 hours 0.5 ml	14 days
	Skin - Mild irritant	Rabbit	-	500 milligrams	-
Monomer	Eyes - Moderate irritant	Mammal - species unspecified	-	-	-
	Skin - Erythema/Eschar	Rabbit	0	4 hours 0.5 ml	24 to 72 hours
Photo-initiators	Skin - Edema	Rabbit	0	4 hours 0.5 ml	24 to 72 hours
	Eyes - Cornea opacity	Rabbit	0.61	0.1 ml	24 to 72 hours
	Eyes - Iris lesion	Rabbit	0	0.1 ml	24 to 72 hours
	Eyes - Edema of the conjunctivae	Rabbit	0.22	0.1 ml	24 to 72 hours
	Skin - Erythema/Eschar	Rabbit	0.6	24 hours 0.5 g (50 % (w/w) Water)	24 to 72 hours
	Skin - Edema	Rabbit	0.3	24 hours 0.5 g (50 % (w/w) Water)	24 to 72 hours
Photo-initiators	Eyes - Cornea opacity	Rabbit	0	56 mg (0.1 ml)	24 to 72
	Eyes - Iris lesion	Rabbit	0	56 mg (0.1 ml)	24 to 72
	Eyes - Redness of the conjunctivae	Rabbit	0.3	56 mg (0.1 ml)	24 to 72
	Eyes - Edema of the conjunctivae	Rabbit	0	56 mg (0.1 ml)	24 to 72

Sensitization

Product/ingredient name	Route of exposure	Species	Result
Multifunctional Acrylate	skin	Mouse	Sensitizing
Multifunctional Acrylate	skin	Mouse	Sensitizing
Multifunctional Acrylate	skin	Guinea pig	Sensitizing
Glycol ether acrylate	skin	Guinea pig	Sensitizing
Monomer	skin	Mouse	Sensitizing
Photo-initiators	skin	Mouse	Sensitizing

Mutagenicity

Product/ingredient name	Test	Experiment	Result
Multifunctional Acrylate	-	Experiment: In vitro Subject: Bacteria	Negative
	-	Experiment: In vitro Subject: Mammalian-Animal	Negative
Multifunctional Acrylate	OECD 471 Bacterial Reverse Mutation Test	Experiment: In vitro Subject: Bacteria	Negative
	OECD 476 <i>In vitro</i> Mammalian Cell Gene Mutation Test	Experiment: In vitro Subject: Mammalian-Animal	Negative
	OECD 474 Mammalian Erythrocyte Micronucleus Test	Experiment: In vivo Subject: Mammalian-Animal	Negative
Multifunctional Acrylate	OECD 471 Bacterial Reverse Mutation Test	Experiment: In vitro Subject: Bacteria	Negative
	OECD 476 <i>In vitro</i> Mammalian Cell Gene Mutation Test	Experiment: In vitro Subject: Mammalian-Animal	Negative
	OECD 471 Bacterial Reverse Mutation Test	Experiment: In vitro Subject: Bacteria	Negative
Monomer	OECD 473 <i>In vitro</i>	Experiment: In vitro	Negative

Section 11. Toxicological information

Photo-initiators	Mammalian Chromosomal Aberration Test OECD 476 <i>In vitro</i> Mammalian Cell Gene Mutation Test	Subject: Mammalian-Animal Experiment: In vitro Subject: Mammalian-Animal	Negative
	-	Experiment: In vitro Subject: Mammalian-Animal Cell: Somatic	Negative
	NTP 476 <i>In vitro</i> Mammalian Cell Gene Mutation Test	Experiment: In vitro Subject: Mammalian-Animal Cell: Somatic	Negative

Carcinogenicity

Not available.

Reproductive toxicity

Product/ingredient name	Maternal toxicity	Fertility	Development toxin	Species	Dose	Exposure
Multifunctional Acrylate	-	-	-	Rat	Oral: >900 mg/kg day	7 days per week
Multifunctional Acrylate	-	-	-	Rat	Oral: >900 mg/kg Parental	5 weeks; 7 days per week
Monomer	-	-	Negative	Rat	Oral	-
	-	Negative	-	Rat - Male, Female	Oral	-

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Name	Category	Route of exposure	Target organs
Monomer	Category 3	Not applicable.	Respiratory tract irritation
Multifunctional Acrylate	Category 3	Not applicable.	Respiratory tract irritation

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure : Not available.

Potential acute health effects

- Eye contact** : Causes serious eye irritation.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : Causes skin irritation. May cause an allergic skin reaction.
- Ingestion** : Irritating to mouth, throat and stomach.

Symptoms related to the physical, chemical and toxicological characteristics

- Eye contact** : Adverse symptoms may include the following:
pain or irritation
watering
redness
- Inhalation** : Adverse symptoms may include the following:
reduced fetal weight
increase in fetal deaths
skeletal malformations

Section 11. Toxicological information

- Skin contact** : Adverse symptoms may include the following:
irritation
redness
reduced fetal weight
increase in fetal deaths
skeletal malformations
- Ingestion** : Adverse symptoms may include the following:
reduced fetal weight
increase in fetal deaths
skeletal malformations

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

- Potential immediate effects** : Not available.
Potential delayed effects : Not available.

Long term exposure

- Potential immediate effects** : Not available.
Potential delayed effects : Not available.

Potential chronic health effects

Product/ingredient name	Result	Species	Dose	Exposure
Multifunctional Acrylate	Sub-acute NOAEL Oral	Rat	>900 mg/kg day	-
Multifunctional Acrylate Monomer	Sub-chronic NOAEL Oral Chronic NOAEL Oral	Rat Rat - Male, Female	>900 mg/kg day 100 mg/kg day	- -
Photo-initiators	Sub-acute NOAEL Oral Sub-acute LOAEL Oral	Rat Rat	50 mg/kg day 250 mg/kg day	- -

- General** : Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
- Carcinogenicity** : No known significant effects or critical hazards.
- Mutagenicity** : No known significant effects or critical hazards.
- Teratogenicity** : No known significant effects or critical hazards.
- Developmental effects** : No known significant effects or critical hazards.
- Fertility effects** : Suspected of damaging fertility.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral	28376.6 mg/kg
Dermal	21837.2 mg/kg

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Multifunctional Acrylate	Acute EC50 >16 mg/l	Daphnia	48 hours
Multifunctional Acrylate	Acute NOEC >=16 mg/l	Daphnia	48 hours
Multifunctional Acrylate	Acute EC50 >16 mg/l Fresh water	Daphnia	48 hours
Multifunctional Acrylate	Acute EC50 >1000 mg/l Fresh water	Micro-organism	3 hours
Multifunctional Acrylate	Acute EC ₁₀ 0.86 mg/l Fresh water	Algae	72 hours
Multifunctional Acrylate	Acute NOEC >=16 mg/l Fresh water	Daphnia	48 hours
Multifunctional Acrylate	Acute EC50 1.5 mg/l Fresh water	Algae	72 hours
Multifunctional Acrylate	Acute LC50 2.6 mg/l Fresh water	Daphnia	48 hours
Multifunctional Acrylate	Acute LC50 4.6 to 10 mg/l Fresh water	Fish - Leuciscus idus	96 hours
Monomer	Acute EC50 1.98 mg/l Fresh water	Algae	72 hours
Monomer	Acute LC50 0.704 mg/l Fresh water	Fish	96 hours
Monomer	Acute NOEC 0.405 mg/l Fresh water	Algae	72 hours
Monomer	Chronic EC50 0.524 mg/l Fresh water	Daphnia	21 days
Monomer	Chronic NOEC 0.092 mg/l Fresh water	Daphnia	21 days

Section 12. Ecological information

Multifunctional Acrylate Photo-initiators	LC50 4.5 to 10 mg/l Acute EC50 >2.01 mg/l Fresh water Acute EC50 3.53 mg/l Fresh water	Fish Algae Daphnia	96 hours 48 hours 48 hours
--	--	--------------------------	----------------------------------

Persistence and degradability

Not available.

Product/ingredient name	Test	Result	Dose	Inoculum
Multifunctional Acrylate	-	42 % - Inherent - 28 days	-	-
Multifunctional Acrylate	OECD 301F Ready Biodegradability - Manometric Respirometry Test	42 % - Inherent - 28 days	-	-
Multifunctional Acrylate	OECD 310 Ready Biodegradability - CO ₂ in Sealed Vessels (Headspace Test)	60 to 70 % - Readily - 28 days	-	-
Monomer	OECD 301F Ready Biodegradability - Manometric Respirometry Test	38 % - 10 days	-	-
Photo-initiators	OECD 301F Ready Biodegradability - Manometric Respirometry Test	0 to 10 % - 28 days	-	-

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Multifunctional Acrylate	-	-	Inherent
Multifunctional Acrylate	-	-	Inherent
Multifunctional Acrylate	-	-	Readily
Monomer	-	-	Inherent
Photo-initiators	-	-	Not readily

Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
Multifunctional Acrylate	3 to 3.8	-	low
Multifunctional Acrylate	2.81	-	low
Monomer	4.52	-	high
Photo-initiators	3.87	18 to 22	low

Mobility in soil











Soil/water partition coefficient (K_{oc}) : Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	ADR/RID	IMDG	IATA
UN number	Not regulated.	UN3082	UN3082	UN3082	UN3082	UN3082
UN proper shipping name	-	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Exo-1,7, 7-trimethylbicyclo [2.2.1]hept-2-yl acrylate, 2-propenoic acid, 1,1'-[(1-methyl-1, 2-ethanediyl)bis [oxy(methyl-2, 1-ethanediyl)]] ester)	SUBSTANCIA LIQUIDA POTENCIALMENTE PELIGROSAS PARA EL MEDIO AMBIENTE, N. E.P. (Exo-1,7, 7-trimethylbicyclo [2.2.1]hept-2-yl acrylate, 2-propenoic acid, 1,1'-[(1-methyl-1, 2-ethanediyl)bis [oxy(methyl-2, 1-ethanediyl)]] ester)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Exo-1,7, 7-trimethylbicyclo [2.2.1]hept-2-yl acrylate, 2-propenoic acid, 1,1'-[(1-methyl-1, 2-ethanediyl)bis [oxy(methyl-2, 1-ethanediyl)]] ester)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Exo-1,7, 7-trimethylbicyclo [2.2.1]hept-2-yl acrylate, 2-propenoic acid, 1,1'-[(1-methyl-1, 2-ethanediyl)bis [oxy(methyl-2, 1-ethanediyl)]] ester)	Environmentally hazardous substance, liquid, n.o.s. (Exo-1,7, 7-trimethylbicyclo [2.2.1]hept-2-yl acrylate, 2-propenoic acid, 1,1'-[(1-methyl-1, 2-ethanediyl)bis [oxy(methyl-2, 1-ethanediyl)]] ester)
Transport hazard class(es)	-	9  	9  	9  	9  	9  
Packing group	-	III	III	III	III	III
Environmental hazards	Yes.	Yes.	Yes.	Yes.	Yes.	Yes.
Additional information	-		Special provisions 274, 331, 335	Hazard identification number 90 Limited quantity 5 L Special provisions 274, 335, 601 Tunnel code (E)	Emergency schedules (EmS) F-A, S-F Special provisions 274, 335	

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code : Not available.

Section 15. Regulatory information

U.S. Federal regulations : **United States inventory (TSCA 8b)**: All components are listed or exempted.
Clean Water Act (CWA) 307: toluene
Clean Water Act (CWA) 311: toluene

	Product/ingredient name	CAS #	%
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	Toluene	108-88-3	0 - 0.06
	Glycol ether acrylate	48145-04-6	8.5
	Acrylic acid	79-10-7	0.0375

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

SARA 311/312

Classification : Immediate (acute) health hazard
 Delayed (chronic) health hazard

Composition/information on ingredients

Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
Multifunctional Acrylate	Proprietary	No.	No.	No.	Yes.	No.
Multifunctional Acrylate	Proprietary	No.	No.	Yes.	Yes.	No.
Multifunctional Acrylate	Proprietary	No.	No.	No.	Yes.	No.
Glycol ether acrylate	8.5	No.	No.	No.	Yes.	No.
Monomer	Proprietary	No.	No.	No.	Yes.	No.
Multifunctional Acrylate	Proprietary	No.	No.	No.	Yes.	No.
Photo-initiators	Proprietary	Yes.	No.	No.	Yes.	Yes.

SARA 313

	Product name	CAS number	%
Form R - Reporting requirements	Glycol ether acrylate		8.5
Supplier notification	Glycol ether acrylate		8.5

State regulations

Massachusetts : None of the components are listed.

New York : None of the components are listed.

New Jersey : The following components are listed: GLYCOL ETHERS

Pennsylvania : The following components are listed: GLYCOL ETHERS

California Prop. 65

WARNING: This product contains less than 1% of a chemical known to the State of California to cause birth defects or other reproductive harm.

Ingredient name	Cancer	Reproductive	No significant risk level	Maximum acceptable dosage level
Toluene	No.	Yes.	No.	7000 µg/day (ingestion)

International regulations

Canada inventory : Not determined.

Chemical Weapons Convention List Schedule I Chemicals : Not listed

Section 15. Regulatory information

Chemical Weapons Convention List Schedule II Chemicals : Not listed
Chemical Weapons Convention List Schedule III Chemicals : Not listed

Section 16. Other information

History

Code : 015561WW21283
Date of printing : 4/7/2014.
Date of issue/Date of revision : 4/7/2014.
Date of previous issue : 4/7/2014.
Version : 1

Key to abbreviations : ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
UN = United Nations

References : Not available.

🔹 Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. While this information has been prepared in good faith by technical experts within the above named organization, the final determination of suitability of any material is the sole responsibility of the end user, after proper consultation with the end users' engineering, technical, health and safety professionals. All materials may present unknown hazards, and should be used with caution considering the specific material, other materials that it may or may not be combined with, and any engineering controls and/or process implementation(s) designed for the use of the material in any specific system process. Although certain hazards are described within, these cannot be guaranteed as the only hazards that exist.